

# CATALOG Aluminum Series





## **65 INNER WINDOW**



#### **PRODUCT FEATURES**

COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

- 8-POINT GROUP CORNER GLUE INJECTION:
- The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

- GUIDE SHEET:
  - more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

- GLASS SPACER:
  - continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from









8 GRADE



7 GRADE



5 GRADE




1)) 38dB


#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash51mm
FRAME THICKNESS	Frame65mm/Sash75mm
GLASS THICKNESS	26mm/29mm/39mm
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle
GERMAN (HARDWARE)	WEHAG (including handle without base)

OPEN	Inward cassement Inward tilt&turn	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Metallic grey	Black Galaxy
Exterior color Coffee Metallic grey	METAL SERIES	
	Coffee Metallic grey	Black Galaxy









#### PRODUCT FEATURES

#### COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful











7 GRADE thermal insulation



5 GRADE



1)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash80mm
FRAME THICKNESS	Frame65mm/Sash75mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement	
PRODUCT COLOR		
lata and	POWDER SERIES	METAL SERIES
Internal color	Coffee Metallic grey	Black Galaxy
Exterior color Coffee Metallic grey	METAL SERIES	
	Coffee Metallic grey	Black Galaxy





## **65 OUTER OPENING WINDOW**



#### **PRODUCT FEATURES**

#### COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### ALLOY CORNER GUARD PROTECTION:

Arc chamfering, anti-collision, keep sharp injuries away from

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm	
VISIBLE WIDTH	Frame40mm/Sash35.5mm	
FRAME THICKNESS	Frame65mm/Sash74.5mm	
GLASS THICKNESS	39mm	
HANDLE	Standard German HOPO square shaft handle	
HARDWARE	Standard German RUNO heavy hinge	





8 GRADE



8 GRADE



7 GRADE thermal insulation




5 GRADE



)) 38dB

OPEN	Outswinging casement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal Coffee M	Coffee Metallic grey	Black Galaxy
POWDER SERIES Exterior		METAL SERIES
color	Coffee Metallic grey	Black Galaxy





## **65 INNER DOOR**



#### **PRODUCT FEATURES**

COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

- 8-POINT GROUP CORNER GLUE INJECTION:
  - The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

- GUIDE SHEET:
  - more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful





8 GRADE



8 GRADE



7 GRADE thermal insulation



5 GRADE




1)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash45mm
FRAME THICKNESS	Frame65mm/Sash74.5mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Outswinging casement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal Coffee	Coffee Metallic grey	Black Galaxy
POWDER SERIES Exterior	METAL SERIES	
color	Coffee Metallic grey	Black Galaxy





## **66 INNER OPENING WINDOW**



#### PRODUCT FEATURES

- COMPOSITE SEALING STRIP:
  - high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION: The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window corners
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.









8 GRADE



7 GRADE thermal insulation



5 GRADE



1)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.4mm	
VISIBLE WIDTH	Frame30mm/Sash47mm	
FRAME THICKNESS	Frame66mm/Sash76.3mm	
GLASS THICKNESS	26mm/29mm/39mm	
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle	
GERMAN (HARDWARE)	WEHAG (including handle without base)	

OPEN	Inward cassement Inward tilt&turn		
PRODU	CT COLOR		
CATEGOR	POWDER SERIES	METAL SERIES	
Internal color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	
CATEGORY	POWDER SERIES	METAL SERIES	
Exterior color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	





## **66 INNER OPENING DOOR**



#### PRODUCT FEATURES

- COMPOSITE SEALING STRIP:
  - high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION: The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- GLASS SPACER:
   continuous bending fluorocarbon aluminum spacer, ultra-high
   continuous bending fluorocarbon aluminum spacer, ultra-high
   continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful





7 GRADE



8 GRADE



7 GRADE thermal insulation



5 GRADE



)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.0mm
VISIBLE WIDTH	Frame43.2mm/Sash75.6mm
FRAME THICKNESS	Frame66mm/Sash76.3mm
GLASS THICKNESS	26mm/29mm/39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement		
PRODU	CT COLOR		
CATEGORY	POWDER SERIES	METAL SERIES	
Internal color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	
CATEGORY	POWDER SERIES	METAL SERIES	
Exterior color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	







#### PRODUCT FEATURES

- WITHOUT GLASS STRIP LINE IN THE SWING SASH: extremely narrow full-view swing sash, novel and unique, minimalist and beautiful.
- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP:
   high-performance composite material, EPDM base is firmly installed,
   composite foam sealing has good rebound, excellent anti-aging
   performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash57mm
FRAME THICKNESS	Frame70mm/Sash80mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPPE square shaft handle
HARDWARE	Standard HOPPE hidden internals





8 GRADE wind pressure



8 GRADE air tightness



7 GRADE thermal insulation



6 GRADE water tightness



38dB sound proof

OPEN	Inward cassement Inward tilt	t&turn	
PRODUCT COLOR			
	POWDER SERIES	METAL SERIES	
Internal color	Ivory Coffee Sand grey	Metallic grey Black Galaxy	
Exterior	POWDER SERIES	METAL SERIES	
color	Ivory Coffee Sand grey	Black Galaxy	





## 70 INNER OPENING WINDOW



#### PRODUCT FEATURES

- MULTI-CAVITY HEAT INSULATION STRIP: emulti-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION:
   Arc chamfering, anti-collision, keep sharp injuries away from home

#### PRODUCT PARAMETERS







8 GRADE wind pressure



8 GRADE air tightness



7 GRADE thermal insulation




6 GRADE water tightness



38dB sound proof

OPEN	Inward cassement Inward tilt	&turn	
PRODUCT COLOR			
	POWDER SERIES	METAL SERIES	
Internal color	Ivory Coffee Sand grey	Metallic grey Black Galaxy	
Exterior color Ivo	POWDER SERIES	METAL SERIES	
	Ivory Coffee Sand grey	Black Galaxy	







## **70 INNER OPENING DOOR**

#### **PRODUCT FEATURES**

- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful













#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash80mm
FRAME THICKNESS	Frame70mm/Sash79.7mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement		
PRODUCT COLOR			
	POWDER SERIES	METAL SERIES	
Internal color	Ivory Coffee Sand grey	Metallic grey Black Galaxy	
Exterior color	POWDER SERIES	METAL SERIES	
	Ivory Coffee Sand grey	Black Galaxy	







## 70 OUTER OPENING WINDOW

#### PRODUCT FEATURES

- MULTI-CAVITY HEAT INSULATION STRIP: emulti-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION:
   Arc chamfering, anti-collision, keep sharp injuries away from home.














#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash35.5mm
FRAME THICKNESS	Frame70mm/Sash79.5mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPPE square shaft handle
HARDWARE	Standard German RUNO heavy hinge

OPEN	Outswinging casement	
RODU	CT COLOR	
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy







## 70 OUTER OPENING DOOR

#### PRODUCT FEATURES

- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE: The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful









7 GRADE thermal insulation



6 GRADE



1)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash45mm
FRAME THICKNESS	Frame70mm/Sash79.5mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Outswinging casement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Ivory Coffee Sand grey	Metallic grey Black Galaxy
Exterior	POWDER SERIES	METAL SERIES
color	Ivory Coffee Sand grey	Black Galaxy





## 71 INNER OPENING WINDOW



#### **PRODUCT FEATURES**

- COMPOSITE SEALING STRIP:
  - high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION: The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window corners
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.







8 GRADE



7 GRADE thermal insulation



5 GRADE




1)) 38dB

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.4mm
VISIBLE WIDTH	Frame30mm/Sash47mm
FRAME THICKNESS	Frame71mm/Sash81mm
GLASS THICKNESS	26mm/29mm/39mm
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle
GERMAN (HARDWARE)	WEHAG (including handle without base)

OPEN	Inward cassement Inward tilt&tur	n
PRODU	CT COLOR	
CATEGORY	POWDER SERIES	METAL SERIES
Internal color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy
CATEGORY	POWDER SERIES	METAL SERIES
Exterior color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy





## 71 INNER OPENING DOOR



#### PRODUCT FEATURES

- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION: The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window corners
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful














#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.0mm
VISIBLE WIDTH	Frame43.2mm/Sash75.6mm
FRAME THICKNESS	Frame71mm/Sash81mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement		
PRODUCT COLOR			
CATEGORY	POWDER SERIES	METAL SERIES	
Internal color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	
CATEGORY	POWDER SERIES	METAL SERIES	
Exterior color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	







## **75 INNER OPENING WINDOW**

#### **PRODUCT FEATURES**

#### SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

#### COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### • ALLOY CORNER GUARD PROTECTION:

Arc chamfering, anti-collision, keep sharp injuries away from home.

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame27mm/Sash51mm
FRAME THICKNESS	Frame75mm/Sash75mm
GLASS THICKNESS	39mm
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle
GERMAN (HARDWARE)	WEHAG (including handle without base)











6 GRADE


thermal insulation



1)) 40dB sound proof

OPEN	Inward cassement Inward tilt&turn		
PRODUCT COLOR			
	POWDER SERIES	METAL SERIES	
Internal color	Coffee Sand grey	Black Galaxy	
Exterior color	POWDER SERIES	METAL SERIES	
	Coffee Sand grey	Black Galaxy	







## **75 INNER OPENING DOOR**

#### **PRODUCT FEATURES**

#### SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

#### • COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### • CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:


more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful





8 GRADE wind pressure



8 GRADE air tightness



7 GRADE thermal insulation



6 GRADE water tightness




40dB sound proof

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame27mm/Sash80mm
FRAME THICKNESS	Frame75mm/Sash75mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement		
PRODU	CT COLOR		
7577	POWDER SERIES	METAL SERIES	PORCELAIN SWIMMING SERIES
Internal color	lvory Coffee Metallic grey	Metallic grey Black Galaxy	Grey
Exterior	POWDER SERIES		METAL SERIES
color	Ivory Coffee Metallic grey Sand green		Metallic grey Black Galaxy







## **75 INNER OPENING DOOR**

#### **PRODUCT FEATURES**

#### SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

#### • COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful





8 GRADE wind pressure



8 GRADE air tightness



7 GRADE thermal insulation



6 GRADE water tightness




1)) 40dB sound proof

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame27mm/Sash80mm
FRAME THICKNESS	Frame75mm/Sash75mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy







#### PRODUCT FEATURES

- FLUSH FRAME AND SWING SASH: the frame and sash are flush both inside and outside, visually flush, simple and flat of the façade, beautiful lines
- NO TURNING FRAME: The outward opening window has no turning frame structure design, the inside and outside are flush, transparent vision, bring beauty back
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION: The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE: The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash35.5mm
FRAME THICKNESS	Frame75mm/Sash74.5mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO square shaft handle
HARDWARE	Standard German RUNO heavy hinge







8 GRADE



7 GRADE thermal insulation




6 GRADE



)) 40dB

OPEN	Outswinging casement	
PRODU	CT COLOR	
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy









#### **PRODUCT FEATURES**

- FLUSH FRAME AND SWING SASH:
   the frame and sash are flush both inside and outside, visually flush,
   simple and flat of the façade, beautiful lines
- NO TURNING FRAME:
   The outward opening window has no turning frame structure design,
   the inside and outside are flush, transparent vision, bring beauty back
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more rollishle and stable.
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful














#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash45mm
FRAME THICKNESS	Frame75mm/Sash74.5mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Outswinging casement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	lvory Coffee Metallic grey	Black Galaxy
Exterior	POWDER SERIES	METAL SERIES
color	Ivory Coffee Metallic grey Sand green	Metallic grey Black Galaxy





## **80 INNER OPENING WINDOW**

#### **PRODUCT FEATURES**

SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

- WITHOUT GLASS STRIP LINE IN THE SWING SASH: extremely narrow full-view swing sash, novel and unique, minimalist
- MULTI-CAVITY HEAT INSULATION STRIPH: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable

CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

• GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

ALLOY CORNER GUARD PROTECTION:

Arc chamfering, anti-collision, keep sharp injuries away from

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame27mm/Sash57mm
FRAME THICKNESS	Frame80mm/Sash79.8mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO square shaft handle
HARDWARE	Standard HOPO hidden internals







8 GRADE



8 GRADE



8 GRADE thermal insulation




6 GRADE



)) 40dB

OPEN	Inward cassement Inward til	t&turn
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy







## BLATTZER

#### **PRODUCT FEATURES**

SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

• 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

GLASS SPACER

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

ALLOY CORNER GUARD PROTECTION:
 Arc chamfering, anti-collision, keep sharp injuries away from

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame27mm/Sash57mm
FRAME THICKNESS	Frame80mm/Sash79.7mm
GLASS THICKNESS	39mm
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle
GERMAN (HARDWARE)	WEHAG (including handle without base)





8 GRADE wind pressure



8 GRADE



8 GRADE thermal insulation



6 GRADE



1)) 40dB sound proof

OPEN	Inward cassement Inward tilt	&turn
PRODUCT COLOR		
Internal color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy







## **80 INNER OPENING DOOR**

#### **PRODUCT FEATURES**

SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION: The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE: The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain
- continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame27mm/Sash80mm
FRAME THICKNESS	Frame80mm/Sash79.7mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge





8 GRADE



8 GRADE



8 GRADE thermal insulation



6 GRADE



)) 40dB

OPEN	Inward cassement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy







## **80 OUTER OPENING WINDOW**

#### **PRODUCT FEATURES**

- FLUSH FRAME AND SWING SASH: the frame and sash are flush both inside and outside, visually flush, simple and flat of the façade, beautiful lines
- NO TURNING FRAME:
   The outward opening window has no turning frame structure design,
   the inside and outside are flush, transparent vision, bring beauty back
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted,
   which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash35.5mm
FRAME THICKNESS	Frame80mm/Sash79.8mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO square shaft handle
HARDWARE	Standard German RUNO heavy hinge













OPEN	Outswinging casement	
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior	POWDER SERIES	METAL SERIES
color	Coffee Sand grey	Black Galaxy





## **80 OUTER OPENING DOOR**



#### PRODUCT FEATURES

 FLUSH FRAME AND SWING SASH: the frame and sash are flush both inside and outside, visually flush, simple and flat of the façade, beautiful lines

#### NO TURNING FRAME:

The outward opening window has no turning frame structure design, the inside and outside are flush, transparent vision, bring beauty back

#### COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash45mm
FRAME THICKNESS	Frame80mm/Sash79.7mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge





8 GRADE wind pressure



8 GRADE air tightness



7 GRADE thermal insulation




6 GRADE water tightness



)) 40dB sound proof

OPEN	Outswinging casement	
PRODUC	CT COLOR	
Internal color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy





## **BALUSTRADE 60 FIXED TYPE**



#### **PRODUCT FEATURES**

- GLASS GUARDRAIL:
  - exclusive armor for floor-to-ceiling windows, good permeability, strong and durable, and strong impact resistance
- COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing



#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.0mm	
VISIBLE WIDTH	Frame35mm	
FRAME THICKNESS	Frame60mm	
SUITABLE GLASS THICKNESS	12.76mm	
GLASS CONFIGURATION	6+0.76+6=12.76mm	

OPEN	FIXED
------	-------






## SCREEN WINDOW 30 CASEMENT TYPE



#### **PRODUCT FEATURES**

- CASEMENT SWING OPEN SCREEN WINDOW:
  - The screen sash opens inward, with good sealing performance, simple and beautiful, easy to disassemble and clean, away from the interference of mosquitoes.
- COMPOSITE SEALING STRIP:
  - High-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION:
  - The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window corners
- CORNER GLUE INJECTION:
  - Greatly increase the corner strength without deformation or cracking
- GUIDE SHEET:
  - More effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform
- MAGNETIC SCREEN SASH LOCK:
  - More effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform




#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.2mm
VISIBLE WIDTH	Frame16.5mm/Sash32mm
FRAME THICKNESS	Frame31.5mm/Sash26mm
WEB THICKNESS	Triple play
HANDLE	Automatic fall back handle with key lock
HINGE	Detachable hinge

OPEN	CASEMENT
	NATIVE CONTRACTOR OF THE PROPERTY OF THE PROPE





## SCREEN DOOR 80 CASEMENT TYPE



#### **PRODUCT FEATURES**

- SWING OPEN SCREEN DOOR: screen door opens, strong and durable, safe and reliable, easy to clean, and away from mosquitoes
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 4-POINT GROUPING CORNER GLUE INJECTION:
   The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and window corners
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform




#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.2mm
VISIBLE WIDTH	Frame30mm/Sash56mm
FRAME THICKNESS	Frame80mm/Sash31.5mm
WEB THICKNESS	Triple play
HANDLE	Standard hopo double-sided handle
HINGE	Standard hopo hinge

OPEN CASEMENT
---------------





#### PRODUCT FEATURES

GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:

The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

- MULTI-CAVITY HEAT INSULATION STRIP: multi-cavity structure, block the alternation of cold and heat, and improve the thermal insulation performance
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
  The mechanical double-knife group angle 8-point method makes
  the structural strength of the door and window corners more reliable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform
- HIDDEN DRAINAGE:
   The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- MAGNETIC SCREEN SASH LOCK:
   The unique magnetic suction of the window screen, the handle automatically falls back, and the key is locked to prevent children from opening, making it more secure to use.
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.
- FASHION COLOR JUMPING: three-dimensional color jumping decorative strips can be freely matched, one window and two colors, modern fashionable

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm	
VISIBLE WIDTH	Frame27mm/Sash51mm	
FRAME THICKNESS	Frame100mm/Sash70.9mm	
GLASS THICKNESS	43mm	
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle	
GERMAN (HARDWARE)	WEHAG (including handle without base)	









8 GRADE



8 GRADE thermal insulation



6 GRADE



)) 42dB

OPEN	inward cassement inward tiltæturn. Screen sasn inward cassemen		
PRODU	ICT COLOR		
	POWDER SERIES	METAL SERIES	
Internal color	Coffee Sand grey	Black Galaxy	
Exterior color	POWDER SERIES	METAL SERIES	
	Coffee Sand grey	Black Galaxy	






## 108 INNER OPENING INTEGRATED DOOR



#### PRODUCT FEATURES

- GLAZING AND SCREEN IN ONE-SERIES OPENING DOOR: The Door Glazing sash inward opening. Screen sash outward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes.
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION:
   The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful









8 GRADE air tightness



7 GRADE thermal insulation



6 GRADE water tightness




)) 42dB sound proof

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	2.2mm
VISIBLE WIDTH	Frame40mm/Sash80mm
FRAME THICKNESS	Frame108mm/Sash69.7mm
GLASS THICKNESS	39mm
HANDLE	Standard HOPO Lever Handle
HINGE	Standard HOPO column Hinge

OPEN	Inward cassement Screen door		N Inward cassement Screen door Outswinging casement		Outswinging casement
PRODU	CT COLOR				
W1000 - 100	POWDER SERIES	METAL SERIES	PORCELAIN SWIMMING SERIES		
Internal color	lvory Coffee Metallic grey	Metallic grey Black Galaxy	Grey		
Exterior color	POWDER S	ERIES	METAL SERIES		
	Ivory Coffee Metallic grey Sand green		Metallic grey Black Galaxy		





## 108 OUTER OPENING INTEGRATED WINDOW

#### PRODUCT FEATURES

GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:
 The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

- FLUSH FRAME AND SWING SASH: the frame and sash are flush both inside and outside, visually flush, simple and flat of the façade, beautiful lines
- NO TURNING FRAME:
- The outward opening window has no turning frame structure design, the inside and outside are flush, transparent vision, bring beauty back COMPOSITE SEALING STRIP:
- high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing
- 8-POINT GROUP CORNER GLUE INJECTION: The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform
- HIDDEN DRAINAGE: The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.
















#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm
VISIBLE WIDTH	Frame40mm/Sash37.8mm
FRAME THICKNESS	Frame108mm/Sash52mm
GLASS THICKNESS	33mm
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle
GERMAN (HARDWARE)	WEHAG (including handle without base)

OPEN	Outswinging casement Inw	ard cassement
PRODU	CT COLOR	
	POWDER SERIES	METAL SERIES
Internal color	Sand grey 8014Coffee	Black Galaxy
Exterior	POWDER SERIES	
color	Sand grey 8014Coffee	





## **108 OUTER OPENING INTEGRATED DOOR**



#### **PRODUCT FEATURES**

- GLAZING AND SCREEN IN ONE-SERIES OPENING DOOR: The Door Glazing sash inward opening, Screen sash outward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference
- COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

- 8-POINT GROUP CORNER GLUE INJECTION: The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking
- GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform.
- GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### PRODUCT PARAMETERS













7 GRADE



6 GRADE



OPEN	Outswinging casement Screen door Inward cassemen			
PRODU	CT COLOR			
	POWDER SERIES	METAL SERIES	PORCELAIN SWIMMING SERIES	
Internal color	Ivory Coffee Metallic grey	Metallic grey Black Galaxy	Grey	
Exterior color	POWDER SERIES		METAL SERIES	
	Ivory Coffee Metallic grey Sand green		Metallic grey Black Galaxy	







#### PRODUCT FEATURES

GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:
 The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

#### • COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

- 4-POINT GROUPING CORNER GLUE INJECTION: The mechanical single-knife grouping 4-point cornering method enhances the structural strength and stability of the door and
- CORNER GLUE INJECTION: greatly increase the corner strength without deformation or cracking

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform

GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

MAGNETIC SCREEN SASH LOCK:

The unique magnetic suction of the window screen, the handle automatically falls back, and the key is locked to prevent children from opening, making it more secure to use.

ALLOY CORNER GUARD PROTECTION:

Arc chamfering, anti-collision, keep sharp injuries away from home.

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.4mm	
VISIBLE WIDTH	Frame30mm/Sash47mm	
FRAME THICKNESS	Frame86mm/Sash67.2mm	
GLASS THICKNESS	26mm/39mm	
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle	
GERMAN (HARDWARE)	WEHAG (including handle without base)	





7 GRADE



8 GRADE



7 GRADE thermal insulation




5 GRADE



)) 40dB

OPEN	Inward cassement Inward tilt&turn		
PRODU	CT COLOR		
CATEGORY	POWDER SERIES	METAL SERIES	
Internal color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	
CATEGORY	POWDER SERIES	METAL SERIES	
Exterior color	Sand grey Matte white 8014 Coffee	Metallic grey Black Galaxy	







#### PRODUCT FEATURES

GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:
 The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

- CORNER GLUE INJECTION:
- greatly increase the corner strength without deformation or cracking

GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform

HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

GLASS SPACER: continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

- MAGNETIC SCREEN SASH LOCK:
  - The unique magnetic suction of the window screen, the handle automatically falls back, and the key is locked to prevent children from opening, making it more secure to use.
- ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.

#### PRODUCT PARAMETERS

PROFILE THICKNESS	1.8mm	
VISIBLE WIDTH	Frame40mm/Sash51mm	
FRAME THICKNESS	Frame88mm/Sash69mm	
GLASS THICKNESS	26mm/39mm	
STANDARD CONFIGURATION GERMAN (HARDWARE)	HOPE+ HOPPE square shafe handle	
	WEHAG (including handle without base)	





9 GRADE



8 GRADE



7 GRADE thermal insulation




6 GRADE



)) 40dB

OPEN	Inward cassement Inward tilt&tur	n Screen sash Inward cassement
PRODUCT COLOR		
	POWDER SERIES	METAL SERIES
Internal color	Coffee Sand grey	Black Galaxy
Exterior color	POWDER SERIES	METAL SERIES
	Coffee Sand grey	Black Galaxy





#### **PRODUCT FEATURES**

 GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:
 The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

#### SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

 WITHOUT GLASS STRIP LINE IN THE SWING SASH: extremely narrow full-view swing sash, novel and unique, minimalist and beautiful.

#### COMPOSITE SEALING STRIP:

high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable and stable

CORNER GLUE INJECTION:
greatly increase the corner strength without deformation or

cracking

#### GUIDE SHEET:

more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform

HIDDEN DRAINAGE:
 The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

 GLASS SPACER:
 continuous bending fluorocarbon aluminum spacer, ultra-high
 continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### MAGNETIC SCREEN SASH LOCK:

The unique magnetic suction of the window screen, the handle automatically falls back, and the key is locked to prevent children from opening, making it more secure to use.

ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.

### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm		
VISIBLE WIDTH	Frame27mm/Sash57mm		
FRAME THICKNESS	Frame90mm/Sash62.8mm		
GLASS THICKNESS	26mm/39mm		
STANDARD CONFIGURATION	HOPE+ HOPPE square shafe handle		
GERMAN (HARDWARE)	WEHAG (including handle without base)		







9 GRADE



8 GRADE



7 GRADE thermal insulation




6 GRADE



()) 42dB

OPEN	Inward cassement Inward tilt&turn Screen sash Inward cassement			
PRODU	ICT COLOR			
Internal color	POWDER SERIES	METAL SERIES	PORCELAIN SWIMMING SERIE	
	lvory Coffee Sand grey	Metallic grey Black Galaxy	Grey	
Exterior color	POWDER SERIES		METAL SERIES	
	Ivory Coffee	Sand green	Metallic grey Black Galaxy	





#### **PRODUCT FEATURES**

 GLAZING & SCREEN IN ONE-PIECE DOUBLE INWARD OPENING WINDOW:
 The Glazing and Screen are both inward opening, with good sealing performance, simple and beautiful, and the screen sash is easy to disassemble and clean, away from the interference of mosquitoes

#### SLIM FRAME:

The swing sash is designed with a flush slim frame, creating a minimalist, comfortable and visually transparent. One-piece set of corner crimping lines, the corners are not cracked or deformed, and are easy to install

COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing

#### • 8-POINT GROUP CORNER GLUE INJECTION:

The mechanical double-knife group angle 8-point method makes the structural strength of the door and window corners more reliable

#### CORNER GLUE INJECTION:

greatly increase the corner strength without deformation or cracking

GUIDE SHEET: more effectively drain the two-component glue around the profile cavity, so that the amount of glue is more uniform

#### HIDDEN DRAINAGE:

The new generation of sunken hidden drainage is adopted, which has a simple appearance and is safe from wind and rain

#### GLASS SPACER:

continuous bending fluorocarbon aluminum spacer, ultra-high strength and toughness, its overall effect is more beautiful

#### MAGNETIC SCREEN SASH LOCK:

The unique magnetic suction of the window screen, the handle automatically falls back, and the key is locked to prevent children from opening, making it more secure to use.

ALLOY CORNER GUARD PROTECTION: Arc chamfering, anti-collision, keep sharp injuries away from home.

#### **PRODUCT PARAMETERS**

PROFILE THICKNESS	1.8mm	
VISIBLE WIDTH	Frame27mm/Sash51mm	
FRAME THICKNESS	Frame98mm/Sash69mm	
GLASS THICKNESS	43mm	
STANDARD CONFIGURATION GERMAN (HARDWARE)	HOPE+ HOPPE square shafe handle	
	WEHAG (including handle without base)	







9 GRADE wind pressure



8 GRADE



7 GRADE thermal insulation



6 GRADE



)) 42dB

OPEN	Inward cassement Inward tilt&t	urn Screen sash Inward cassement
PRODU	JCT COLOR	
Internal color	POWDER SERIES	METAL SERIES
	Ivory Coffee Sand grey	Metallic grey Black Galaxy
Exterior	POWDER SERIES	METAL SERIES
color	Ivory Coffee Sand grey	Black Galaxy






## NARROW SIDE DOOR 4008 CASEMENT DOOR



#### **PRODUCT FEATURES**

- SLIM-FRAME INTERIOR DOOR:
   Slim-frame design, light luxury and minimalist style, enhance permeability and lighting
- HARDWARE: magnetic suction lock, more secure to avoid scratches, quieter door closing, flexible switch, durable
- COMPOSITE SEALING STRIP: high-performance composite material, EPDM base is firmly installed, composite foam sealing has good rebound, excellent anti-aging performance, and durable sealing



#### PRODUCT PARAMETERS

PROFILE THICKNESS	2.0mm
VISIBLE WIDTH	Frame30.5mm/Sash8.3mm
FRAME THICKNESS	Frame79mm/Sash40mm
SUITABLE GLASS THICKNESS	8mm
HANDLE	Baogao double-sided magnetic suction lock
HINGE	Baogao express hinge

OPEN	CASEMENT	
PRODUCT CO	DLOR	
COLOR	BLACK	
COLOR	BLACK	

